Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	(generat$3 same output) same display$3 same (((hot) adj3 (data or spot))) same frequenc$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 17:04
S1	0	instrument$5 same (DAG or (direct adj acyclic adj graph)) same trac$3 same threshold$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 07:55
S2	15	instrument$5 same (DAG or (direct adj acyclic adj graph))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/04 17:29
S3	2	instrument$5 same (DAG or (direct adj acyclic adj graph)) same trac$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/04 18:44
S4	1	("6330556").PN.	USPAT; USOCR	OR	OFF	2004/03/04 18:52
S5	1	("6360361").PN.	USPAT; USOCR	OR	OFF	2004/03/04 19:37
S6	2	WPDA	USPAT	OR	OFF	2004/03/04 19:37
S7	0	Whole adj Program adj Data adj Accesses	USPAT	OR	OFF	2004/03/04 19:38
S8	1	Whole adj Program adj Data adj Accesses	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/04 19:38
S9	9	(Whole adj Program adj Data adj Accesses) or WPDA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/04 19:38
S10	15	instrument$5 same (DAG or (direct adj acyclic adj graph))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 09:12
S11	0	"20020073405".URPN.	USPAT	OR	OFF	2004/03/05 07:58
S12	7	(instrument$5 same (DAG or (direct adj acyclic adj graph))) and trac$3 and optimiz$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 08:48

S13	185	(data adj address) adj4 sequenc$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 08:48
S14	19	((data adj address) adj4 sequenc$3) same (repeat$5 or repetitive$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 08:49
S15	0	instrument$5 same (DAG or (direct adj acyclic adj graph))same (hot adj3 data adj3 stream)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 09:13
S16	0	(data adj access$3 adj3 sequenc$4) same (hot adj3 data adj3 stream)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 09:13
S17	126	(data adj access$3 adj3 sequenc$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 10:33
S18	2	(hot adj3 data adj3 stream)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 09:14
S19	21240	(hot adj3 (data or spot))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 10:39
S20	2	((data adj access$3 adj3 sequenc$4)) and ((hot adj3 (data or spot)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/24 19:50
S21	3926	instrument$5 adj3 tool$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 09:33
S22	192	(instrument$5 adj3 tool$3) same configur$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 09:34

S23	11	(instrument$5 adj3 tool$3) same configur$5 same (software or program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 10:45
S24	35	(data adj access$3) same repetitively	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 10:33
S25	13	((data adj access$3) same repetitively) and trac$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 10:34
S26	1	((hot adj3 (data or spot))) and ((data adj access$3) same repetitively)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 10:39
S27	0	"20020073405".URPN.	USPAT	OR	OFF	2004/03/05 10:42
S28	2	"6360361".URPN.	USPAT	OR	OFF	2004/03/05 10:42
S29	1	((instrument$5 adj3 tool$3) same configur$5) and ((data adj access$3) same repetitively)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 10:52
S30	0	(hot adj2 data adj4 stream-based) same locality same optimiz$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 10:53
S31	0	(hot adj data adj stream-based) same locality same optimiz$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 10:53
S32	0	hot adj data adj stream-based	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 11:01
S33	0	reference adj locality adj optimizations	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 11:02

S34	96	referenc$3 same localit$4 same optimiz$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 11:03
S35	57	heuristic-based	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 11:03
S36	0	(referenc$3 same localit$4 same optimiz$6) and heuristic-based	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 11:03
S37	7	referenc$3 same localit$4 same optimiz$6 same (data adj cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 12:33
S38	0	(insctruction same (load$3 or decod$3)) and (queue$3 or sequenc$3 or schedul$3 or pipelin$3 or feedback$3) and (most near4 frequent$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 12:36
S39	0	(insctruction same (load$3 or decod$3)) and (queue$3 or sequenc$3 or schedul$3 or pipelin$3 or feedback$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 12:37
S40	46398	(instruction same (load$3 or decod$3)) and (queue$3 or sequenc$3 or schedul$3 or pipelin$3 or feedback$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 12:37
S41	1755	(instruction same (load$3 or decod$3)) and (queue$3 or sequenc$3 or schedul$3 or pipelin$3 or feedback$3) and (most near4 frequent$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 12:38
S42	592	(instruction same (load$3 or decod$3)) and (queue$3 or sequenc$3 or schedul$3 or pipelin$3 or feedback$3) and (most near4 frequent$3) and optimiz$3 and trac$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 12:39

S43	3	((instruction same (load$3 or decod$3)) and (queue$3 or sequenc$3 or schedul$3 or pipelin$3 or feedback$3) and (most near4 frequent$3) and optimiz$3 and trac$3) and (DAG or Direct adj acylic adj graph)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 12:39
S44	3	((instruction same (load$3 or decod$3)) and (queue$3 or sequenc$3 or schedul$3 or pipelin$3 or feedback$3) and (most near4 frequent$3) and optimiz$3 and trac$3) and (DAG or (Direct adj acylic adj graph))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 12:39
S45	1029	code same highlight$3 same select$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 09:19
S46	206	(code same highlight$3 same select$3) and debug$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 09:03
S47	28	(code same highlight$3 same select$3) same debug$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 09:03
S48	192	(code near4 highlight$3) same select$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 09:19
S49	0	((code near4 highlight$3) same select$3) and (navigat$7 near4 pan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 09:20
S50	51	navigat$7 near4 pan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 09:21
S51	0	((code near4 highlight$3) same select$3) and (navigat$7 near4 pan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 09:20

S52	1	(code same highlight$3 same select$3) and (navigat$7 near4 pan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 09:20
S53	8	((code near4 highlight$3) same select$3) same navigat$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 11:20
S54	806	efficien$4 same (cach$3 near4 block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 11:23
S55	117	efficien$4 near4(cach$3 near4 block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 11:21
S56	148950	data near3 access$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 11:21
S57	0	(efficien$4 near4(cach$3 near4 block)) same (data near3 access$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 11:22
S58	79	(efficien$4 near4(cach$3 near4 block)) and (data near3 access$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 11:22
S59	58	((efficien$4 near4(cach$3 near4 block)) and (data near3 access$3)) and divid$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 11:23
S60	518	efficien$4 same (cach$3 near2 block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 11:23
S61	284	(efficien$4 same (cach$3 near2 block)) and divid$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 11:23

S62	93	(efficien$4 same (cach$3 near2 block)) and (divid$3 near3 cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 11:24
S63	10	(efficien$4 same (cach$3 near2 block)) and (divid$3 adj cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 13:33
S64	7	(efficiency same (cach$3 near2 block)) and (divid$3 adj cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 13:33
S65	0	generat$3 same ((stream adj flow) same output) same display$3 same (occurances same repetitively) same (occurances same ignor$3 same non-repetitively)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/24 19:06
S66	0	((stream adj flow) same output) same (occurances same ignor$3 same non-repetitively)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/24 19:06
S67	0	((stream adj flow) same output) and (occurances same ignor$3 same non-repetitively)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/24 19:06
S68	0	(occurances same ignor$3 same non-repetitively)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/24 19:07
S69	3	(occur$4 same ignor$3 same non-repetit$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/24 19:09
S70	3	(occur$4 same (ignor$5 or discard$3) same non-repetit$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/24 19:17
S71	0	hot same (data near4 stream) same (cold same referenc$3 same ignor$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/24 19:19

S72	0	hot same (data near4 stream) and(cold same referenc$3 same ignor$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/24 19:19
S73	0	((hot and cold) same (data near4 stream)) and ignor$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/24 19:19
S74	1	((hot and cold) same (data near4 stream)) and discard$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/24 19:19
S75	14	((hot and cold) same (data near4 stream))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/24 19:20
S76	7	(US-6353924-$ or US-6247020-$ or US-6360361-$ or US-5940618-$).did. or (US-20020073405-$ or US-20030088533-$ or US-20020049963-$).did.	US-PGPUB; USPAT	OR	OFF	2004/09/24 19:48
S77	2316	a2 and ignore	US-PGPUB; USPAT	OR	OFF	2004/09/24 19:48
S78	2316	(a2 and ignore) and ignore	US-PGPUB; USPAT	OR	OFF	2004/09/24 19:49
S79	0	((US-6353924-$ or US-6247020-$ or US-6360361-$ or US-5940618-$).did. or (US-20020073405-$ or US-20030088533-$ or US-20020049963-$).did.) and ignore	US-PGPUB; USPAT	OR	OFF	2004/09/24 19:49
S80	1	((US-6353924-$ or US-6247020-$ or US-6360361-$ or US-5940618-$).did. or (US-20020073405-$ or US-20030088533-$ or US-20020049963-$).did.) and ignor$3	US-PGPUB; USPAT	OR	OFF	2004/09/24 19:49
S81	0	((data adj access$3 adj3 sequenc$4)) and (((hot and cold) adj3 (data or spot)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/24 19:50
S82	2	((data adj access$3 adj3 sequenc$4)) and (((hot) adj3 (data or spot)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/17 13:16

S83	1295	display$3 same (((hot) adj3 (data or spot)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/17 13:16
S84	50	(generat$3 same output) same display$3 same (((hot) adj3 (data or spot)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 17:04
S85	1	(generat$3 same output) same display$3 same (((hot) adj3 (data or spot))) same code	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/17 13:27